

PNEUMATIC PRODUCTS



XAKJ[®]
轩澳气动

品质

在于工艺，
工艺在于细节

Quality lies
in the process, The process is in the specification



COMPANY BROCHURES 企业简介

乐清市轩澳气动科技有限公司是一家专业生产各类气动元件的科技型现代化企业。公司主要生产快插式气动接头系列,节流阀系列,快拧接头系列等产品,并承接来图来样加工。

公司拥有一批专业技术研发人员,生产设备精良,检测手段完善,产品规格齐全,本着以“质量第一,诚信至上”为宗旨,产品外观精致,性能良好,价格合理,交货及时,赢得了各界同行的信赖,远销全国各地及海外地区。

竭诚欢迎广大新老客户,莅临公司指导,洽谈合作,让我们一起携手共创美好明天。

Yue Qing Xuanao Pneumatic Science and Technology Co.,Ltd. is a modern company of science and technology dedicated in production of various pneumatic units and components. Our major products are quick-connection pneumatic joint series, throttle valves series, quick screwing joint series etc, and we will also manufacture the products as per the drawing and samples provided by customers.

Our company has a group of technical R&D professionals, and is equipped with advanced production and testing devices, besides that, our products are full-ranged. We always carry out our motto of “Quality comes first, credibility is the most important” to make the products of excellent function with good appearance. Moreover, our prices are reasonable and the delivery is always on time, and that is why we’ve won the trust of all trades and our products are well sold all over the world.

We warmly welcome all the old and new customers to visit our company for giving advice and cooperation, making a splendid tomorrow hand in hand!

目录 Contents

快插式气动接头 Quick plug type pneumatic joint	01-07
插入式XAP系列气动接头 Insert type XAP series pneumatic joint	08-10
气动快拧接头 Pneumatic quick joint	11-12
气缸系列 Cylinder series	13-16
SC/SU 标准气缸 SC/SU standard cylinder	13
SI 标准气缸 SI Standard Cylinder	13
QGB 标准气缸 QGB Standard Cylinder	13
DNC 标准气缸(符合ISO6431标准) DNC standard cylinder (standard ISO6431)	13
CQ2 薄型气缸 CQ2 compact cylinder	14
SDA薄型气缸 SDA compact cylinder	14
MAL铝合金迷你气缸 MAL Aluminum Alloy Mini Cylinder	14
MA不锈钢迷你气缸 MA Stainless Steel Mini Cylinder	15
CJ2不锈钢迷你气缸 CJ2 Stainless Steel Mini Cylinder	15
CM2不锈钢迷你气缸 CM2 Stainless Steel Mini Cylinder	15
CJPB (单作用) 针型气缸 CJPB (Single acting) pin cylinder	15
CXSM双轴气缸 CXSM dual-rod cylinder	16
TN(TDA)双轴气缸 TN(TDA) dual-rod cylinder	16
CU多位置安装气缸 CU multi-position installation cylinder	16
MOB轻型油液压缸 MOB Light oil hydraulic cylinder	16
HOB重型油液压缸 HOB Heavy oil hydraulic cylinder	16
电磁阀系列 Solenoid valve series	17
气源处理系列 Air source treatment series	18
PU管、弹簧管、吹尘枪 PU pipe, spring pipe, blowing dust gun	19

XAKJ®
轩澳气动


XAKJ® 轩澳气动

<https://yqxakj.1688.com>

快插式气动接头


Quick plug type pneumatic joint

XPC系列-螺纹直通 XPC Series-Male staight




公制插管 Metric intubation	ΦD	R	A	B	H1	H2	PCS/box	重量 Weght (g)
XPC4-M5	4	M5	4.5	21.8	10	2		
XPC4-01	4	R1/8	6.5	20.5	10	3		
XPC4-02	4	R1/4	9	19.5	14	3		
XPC6-M5	6	M5	4.5	22.8	12	2		
XPC6-01	6	R1/8	6.5	22.2	12	4		
XPC6-02	6	R1/4	9	22.2	14	4		
XPC6-03	6	R3/8	10	21.5	17	4		
XPC6-04	6	R1/2	10	23	21	4		
XPC8-01	8	R1/8	8	26.8	14	4		
XPC8-02	8	R1/4	10	25.2	14	6		
XPC8-03	8	R3/8	10	22.2	17	6		
XPC8-04	8	R1/2	11	23.7	21	6		
XPC10-01	10	R1/8	8	30.7	17	4		
XPC10-02	10	R1/4	10	31	17	6		
XPC10-03	10	R3/8	10	29.5	17	8		
XPC10-04	10	R1/2	11	25.2	21	8		
XPC12-01	12	R1/8	8	31.7	19	4		
XPC12-02	12	R1/4	10	33.2	19	6		
XPC12-03	12	R3/8	10	30	19	8		
XPC12-04	12	R1/2	11	30	21	8		
XPC14-03	14	R3/8	11	38	24	6		
XPC14-04	14	R1/2	12	39	24	8		
XPC16-03	16	R3/8	13	39	24	10		
XPC16-04	16	R1/2	15	39	27	12		

XPCF系列-内螺纹直通 XPCF Series-Female staight




公制插管 Metric intubation	ΦD	R	A	B	H	PCS/box	重量 Weght (g)
XPCF4-M5	4	M5	6.5	24.4	10		
XPCF4-01	4	R1/8	9	26.6	10		
XPCF4-02	4	R1/4	11	28.8	15		
XPCF6-M5	6	M5	6.5	24	12		
XPCF6-01	6	R1/8	9	28	12		
XPCF6-02	6	R1/4	11	30	15		
XPCF6-03	6	R3/8	12	30.5	19		
XPCF6-04	6	R1/2	12.5	31.5	24		
XPCF8-01	8	R1/8	9	28.5	14		
XPCF8-02	8	R1/4	11	30.5	15		
XPCF8-03	8	R3/8	12	31	19		
XPCF8-04	8	R1/2	12.5	32.5	24		
XPCF10-01	10	R1/8	9	32.4	17		
XPCF10-02	10	R1/4	11	34	17		
XPCF10-03	10	R3/8	12	34	19		
XPCF10-04	10	R1/2	12.5	35	24		
XPCF12-01	12	R1/8	9	35	19		
XPCF12-02	12	R1/4	11	35	19		
XPCF12-03	12	R3/8	12	35	19		
XPCF12-04	12	R1/2	12.5	36.5	24		
XPCF16-03	16	R3/8	16.5	46.4	24		
XPCF16-04	16	R1/2	18	48.4	32		


XPL系列-螺纹弯通 XPL Series-Male elbow




公制插管 Metric intubation	ΦD	R	A	B	H	E	PCS/box	重量 Weght (g)
XPL4-M5	4	M5	4.5	25	10	19.7		
XPL4-01	4	R1/8	7	26.5	10	19.7		
XPL4-02	4	R1/4	9	28	14	19.7		
XPL6-M5	6	M5	4.5	27.5	12	20.8		
XPL6-01	6	R1/8	7	27.5	12	20.8		
XPL6-02	6	R1/4	9	29.5	14	20.8		
XPL6-03	6	R3/8	10	30.5	17	20.8		
XPL6-04	6	R1/2	11	32	21	20.8		
XPL8-01	8	R1/8	8	31.7	14	23.5		
XPL8-02	8	R1/4	10	33.8	14	23.5		
XPL8-03	8	R3/8	10	33.8	17	23.5		
XPL8-04	8	R1/2	11	35.5	21	23.5		
XPL10-01	10	R1/8	8	35.5	17	27.4		
XPL10-02	10	R1/4	10	37.5	17	27.4		
XPL10-03	10	R3/8	10	38	17	27.4		
XPL10-04	10	R1/2	11	38.6	21	27.4		
XPL12-01	12	R1/8	8	38	19	30.3		
XPL12-02	12	R1/4	10	39.5	19	30.3		
XPL12-03	12	R3/8	10	40.5	19	30.3		
XPL12-04	12	R1/2	11	42	21	30.3		
XPL14-03	14	R3/8	12	42.5	24	30.3		
XPL14-04	14	R1/2	15	45	24	30.3		
XPL16-03	16	R3/8	15	50	24	34		
XPL16-04	16	R1/2	15	50.5	27	34		

XPB系列-螺纹正三通
XPB Series-Male branch tee


公制插管 Metric intubation	φD	R	A	B	E	H2	φd	PCS/box	重量 Weight (g)
XPB4-M5	4	M5	4.5	25.4	18.6	10	/		
XPB4-01	4	R1/8	7	25.4	18.6	10	/		
XPB4-02	4	R1/4	9	27.8	18.6	14	/		
XPB6-M5	6	M5	4.5	26.8	20.8	12	3.5		
XPB6-01	6	R1/8	6.5	37.6	20.8	12	3.5		
XPB6-02	6	R1/4	9	30	20.8	14	3.5		
XPB6-03	6	R3/8	10	30.6	20.8	17	3.5		
XPB6-04	6	R1/2	10	32.5	20.8	21	3.5		
XPB8-01	8	R1/8	8	31.5	22.9	14	4.5		
XPB8-02	8	R1/4	10	33	22.9	14	4.5		
XPB8-03	8	R3/8	10	33.6	22.9	17	4.5		
XPB8-04	8	R1/2	11	35	22.9	21	4.5		
XPB10-01	10	R1/8	8	37	27.8	17	4		
XPB10-02	10	R1/4	10	38	27.8	17	4		
XPB10-03	10	R3/8	10	38	27.8	17	4.5		
XPB10-04	10	R1/2	11	39	27.8	21	4.5		
XPB12-01	12	R1/8	8	37.5	29.5	19	5		
XPB12-02	12	R1/4	10	40	29.5	19	5		
XPB12-03	12	R3/8	10	40	29.5	19	5		
XPB12-04	12	R1/2	11	41	29.5	21	5		
XPB14-03	16	R3/8	11	46.3	34.5	24	4		
XPB14-04	16	R1/2	12	47.3	34.5	27	4		

XPD系列-螺纹侧三通
XPD Series-Male run tee

公制插管 Metric intubation	φD	R	A	B	E	H	φd	PCS/box	重量 Weight (g)
XPD4-M5	4	M5	4.5	44	18.4	10	/		
XPD4-01	4	R1/8	7	44	18.4	10	/		
XPD4-02	4	R1/4	9	47.5	18.4	14	/		
XPD6-M5	6	M5	4.5	47	20.8	12	3.5		
XPD6-01	6	R1/8	7	48.5	20.8	12	3.5		
XPD6-02	6	R1/4	9	51	20.8	14	3.5		
XPD6-03	6	R3/8	10	51.5	20.8	17	3.5		
XPD6-04	6	R1/2	11	54	20.8	21	3.5		
XPD8-01	8	R1/8	8	54	22.8	14	4.5		
XPD8-02	8	R1/4	10	55.5	22.8	14	4.5		
XPD8-03	8	R3/8	10	57	22.8	17	4.5		
XPD8-04	8	R1/2	11	58	22.8	21	4.5		
XPD10-01	10	R1/8	8	64.2	38.3	17	4.5		
XPD10-02	10	R1/4	10	67	38.3	17	4.5		
XPD10-03	10	R3/8	10	66	28.3	17	4.5		
XPD10-04	10	R1/2	11	67	28.3	21	4.5		
XPD12-01	12	R1/8	8	67	29.6	19	5		
XPD12-02	12	R1/4	10	68.8	29.6	19	5		
XPD12-03	12	R3/8	10	68.8	29.6	19	5		
XPD12-04	12	R1/2	11	70	29.6	21	5		
XPD14-04	16	R3/8	12	85	35	24	4		
XPD16-04	16	R1/2	15	85	35	24	4		

XPX系列-Y型螺纹三通
XPX Series-Male "Y"

公制插管 Metric intubation	φD	R	A	B	E	J	φd	PCS/box	重量 Weight (g)
XPX4-M5	4	M5	4.5	42.5	10	10.8	2.5		
XPX4-01	4	R1/8	7	43	10	10.8	2.5		
XPX4-02	4	R1/4	9	44	14	10.8	3		
XPX6-M5	6	M5	4.5	41.5	12	13.4	3.5		
XPX6-01	6	R1/8	6.5	46	12	13.4	3.5		
XPX6-02	6	R1/4	9	48.5	14	13.4	3.5		
XPX6-03	6	R3/8	10	49	17	13.4	3.5		
XPX6-04	6	R1/2	10	51	21	13.4	3.5		
XPX8-01	8	R1/8	8	51	14	15.8	4		
XPX8-02	8	R1/4	10	52.5	14	15.8	4		
XPX8-03	8	R3/8	10	53.5	17	15.8	4		
XPX8-04	8	R1/2	11	55	21	15.8	4		
XPX10-01	10	R1/8	8	56.5	17	19	4		
XPX10-02	10	R1/4	10	58	17	19	4		
XPX10-03	10	R3/8	10	58	17	19	4		
XPX10-04	10	R1/2	11	59	21	19	4		
XPX12-01	12	R1/8	8	62	19	21.5	4		
XPX12-02	12	R1/4	10	70	19	21.5	4.5		
XPX12-03	12	R3/8	10	70	19	21.5	4.5		
XPX12-04	12	R1/2	11	65	21	21.5	4		
XPX16-03	16	R3/8	11						
XPX16-04	16	R1/2	12						

XPU系列-直通
XPU Series-Union straight

公制插管 Metric intubation	φD1	B
XPU-4	4	32.5
XPU-6	6	35.5
XPU-8	8	38
XPU-10	10	47
XPU-12	12	47.5
XPU-14	14	47.5
XPU-16	16	67

XPV系列-弯通
XPV Series-Union elbow

公制插管 Metric intubation	φD	B	F	φd
XPV-4	4	18.4	/	/
XPV-6	6	20.5	7.5	3.5
XPV-8	8	23.5	9.5	4.5
XPV-10	10	27.4	11.5	4.5
XPV-12	12	35.3	18.5	5
XPV-16	16	33.8	16	4

XPE系列-T型三通
XPE Series-Union tee


公制插管 Metric intubation	φD	B	E	F	φd
XPE-4	4	36.6	18.3	/	/
XPE-6	6	41	20.5	16	3.5
XPE-8	8	46	23	20	4.5
XPE-10	10	56.6	28.3	24	4.5
XPE-12	12	58.6	29.3	27.7	5
XPE-14	14	60.8	30.4	25.8	4
XPE-16	16	69	34.5	33	4

XPY系列-Y型三通
XPY Series-Union "Y"


公制插管 Metric intubation	φD	B	J	φd
XPY-4	4	38	11.6	2.5
XPY-6	6	39	13.3	3.5
XPY-8	8	42.5	15.5	4.5
XPY-10	10	48	38.5	4.5
XPY-12	12	54	21.5	4
XPY-14	14	65.5	25	5.5
XPY-16	16	65.5	27	5.5

XPZA系列-四通
XPZA Series-Union cross

公制插管 Metric intubation	φD	B	F	φd
XPZA-4	4	19	12.9	2.5
XPZA-6	6	22.5	19	4
XPZA-8	8	23	19	4
XPZA-10	10	26.7	21.8	4
XPZA-12	12	33	25	4

XPK系列-五通
XPK Series-Union triple


公制插管 Metric intubation	ϕD	B	F	J	ϕd
XPK-4	4	61.5	36.8	12	2.5
XPK-6	6	80	54.8	17.5	4
XPK-8	8	80	54.8	17.5	4
XPK-10	10	96	62.5	20.4	4
XPK-12	12	112	71	23	4

XPG系列-直通变径
XPG Series-Different diameter atraight


公制插管 Metric intubation	$\phi D1$	$\phi D2$	B
XPG6-4	6	4	35
XPG8-6	8	6	35.5
XPG10-8	10	8	38
XPG12-10	12	10	47
XPG16-12	12	12	47.5
XPG8-4	8	4	47.5
XPG10-6	10	6	67
XPG12-8	12	8	67

XPEG系列-三通变径
XPEG Series-Different diameter union tee


公制插管 Metric intubation	$\phi D1$	$\phi D2$	B	E	F	ϕd
XPEG6-4	6	4	41.2	20	14.9	3.5
XPEG8-6	8	6	45	18	22.8	4.5
XPEG10-8	10	8	51	24	19.8	4.5
XPEG12-10	12	10	59	28	24.5	5
XPEG16-12	16	12	69	34	32.2	4
XPEG8-4	8	4	46	18	20	4.5
XPEG10-6	10	6	57	26.8	23.8	4
XPEG12-8	12	8	59	27.8	27.6	5

XPEGD系列-三通变径
XPEGD Series-Different diameter union tee


公制插管 Metric intubation	$\phi D1$	$\phi D2$	B	E	F	ϕd
XPEGD6-4	6	4	40	20	16	3.5
XPEGD8-6	8	6	45	23.2	20	4.5
XPEGD10-8	10	8	55	28.3	24	4.5
XPEGD12-10	12	10	58	29	27.8	5
XPEGD16-12	16	12	68	34.5	33.5	4
XPEGD8-4	8	4	44.5	23	19.7	4.5
XPEGD10-6	10	6	54.5	28	24	4
XPEGD12-8	12	8	56	29.3	27.8	5

XPW系列-Y型三通变径
XPW Series-Different diameter union "Y"

公制插管 Metric intubation	$\phi D1$	$\phi D2$	B	J	ϕd
XPW6-4	6	4	38	13.5	3.5
XPW8-6	8	6	42	16	4
XPW10-8	10	8	48	18.8	4.5
XPW12-10	12	10	60	20.5	4.5
XPW8-4	8	4	42	16	4
XPW10-6	10	6	48	19.5	4
XPW12-8	12	8	52.5	21.2	4

XPKG系列-五通变径
XPKG Series-Different diameter union triple

公制插管 Metric intubation	$\phi D1$	$\phi D2$	B	F	J	ϕd
XPKG6-4	6	4	79	54.8	17.7	4
XPKG8-6	8	6	80	54.8	17.7	4
XPKG10-8	10	8	96	62.4	20.2	4
XPKG12-10	12	10	112	71	23	4
XPKG8-4	8	4	81	56.5	18	4.5
XPKG10-6	10	6	96	62.4	20.2	4
XPKG12-8	12	8	112	71	23	4

XPM系列-隔板直通
XPM Series-Bulkhead union

公制插管 Metric intubation	$\phi D1$	M	B	H
XPM-4	4	M12×1.0	34.5	14
XPM-6	6	M14×1.0	37	17
XPM-8	8	M16×1.0	37	19
XPM-10	10	M20×1.0	45	24
XPM-12	12	M22×1.0	46.4	27
XPM-16	16	M28×1.0	59	32

XPMF系列-穿板内螺纹
XPMF Series-Bulkhead female straight


型号 Model	型号 Model	型号 Model
XPMF4-M5	XPMF8-01	XPMF12-01
XPMF4-01	XPMF8-02	XPMF12-02
XPMF4-02	XPMF8-03	XPMF12-03
XPMF6-M5	XPMF8-04	XPMF12-04
XPMF6-01	XPMF10-01	XPMF14-01
XPMF6-02	XPMF10-02	XPMF14-02
XPMF6-03	XPMF10-03	XPMF14-03
XPMF6-04	XPMF10-04	XPMF14-04

XPLL系列-弯头加长
XPLL Series-Extended male elbow


型号 Model	型号 Model	型号 Model
XPLL4-M5	XPLL8-01	XPLL12-01
XPLL4-01	XPLL8-02	XPLL12-02
XPLL4-02	XPLL8-03	XPLL12-03
XPLL6-M5	XPLL8-04	XPLL12-04
XPLL6-01	XPLL10-01	XPLL14-01
XPLL6-02	XPLL10-02	XPLL14-02
XPLL6-03	XPLL10-03	XPLL14-03
XPLL6-04	XPLL10-04	XPLL14-04

XPKB系列-变径螺纹五通
XPKB Series-Different diameter male union triple


型号 Model	型号 Model
XPKB6-4-01	XPKB10-8-01
XPKB6-4-01	XPKB10-8-01
XPKB8-6-01	XPKB12-10-01
XPKB8-6-01	XPKB12-10-01

XPLF系列-弯头内螺纹
XPLF Series-Female elbow


公制插管 Metric intubation	φD	R	A	B	H	E	φd
XPLF4-M5	4	M5				17.6	/
XPLF4-01	4	R1/8				17.6	/
XPLF4-02	4	R1/4	10	25	17	17.6	/
XPLF6-M5	6	M5					3.5
XPLF6-01	6	R1/8	9	26.2	12	20.6	3.5
XPLF6-02	6	R1/4	11	29.3	15	20.6	3.5
XPLF6-03	6	R3/8	11	29.3	17	20.6	3.5
XPLF6-04	6	R1/2	13	29.3	19	20.6	3.5
XPLF8-01	8	R1/8	9	28.8	14	22.6	4.5
XPLF8-02	8	R1/4	11	31.6	17	22.6	4.5
XPLF8-03	8	R3/8	11	33.3	19	22.6	4.5
XPLF8-04	8	R1/2	13	39.5	24	27.4	4.5
XPLF10-01	10	R1/8	9	37.2	17	28.8	4.5
XPLF10-02	10	R1/4	11	37.2	17	28.8	4.5
XPLF10-03	10	R3/8	11	38	19	28.8	4.5
XPLF10-04	10	R1/2				28.8	4.5
XPLF12-02	12	R1/4	11	36	19	32.2	5
XPLF12-03	12	R3/8	11	39	19	32.2	5
XPLF12-04	12	R1/2	13	41	24	32.2	5

XPKD系列-螺纹五通
XPKD Series-Male union triple


公制插管 Metric intubation	φD	R	A	B	H	J	F	φd
XPKD4-M5	4	M5	4.5		10	36.8	12	2.5
XPKD4-01	4	R1/8	7		10	36.8	12	2.5
XPKD4-02	4	R1/4	9		14	36.8	12	2.5
XPKD6-M5	6	M5	4.5		12	54.8	17.5	4
XPKD6-01	6	R1/8	7		12	54.8	17.5	4
XPKD6-02	6	R1/4	9		14	54.8	17.5	4
XPKD6-03	6	R3/8	10		17	54.8	17.5	4
XPKD6-04	6	R1/2	11	92	21	54.8	17.5	4
XPKD8-01	8	R1/8	8	89	14	54.8	17.5	4.5
XPKD8-02	8	R1/4	10	90	14	54.8	17.5	4.5
XPKD8-03	8	R3/8	10	91	17	54.8	17.5	4.5
XPKD8-04	8	R1/2	11	93	21	54.8	17.5	4.5
XPKD10-01	10	R1/8	8		17	62.5	20.4	4
XPKD10-02	10	R1/4	10		17	62.5	20.4	4
XPKD10-03	10	R3/8	10		17	62.5	20.4	4
XPKD10-04	10	R1/2	11	124	21	62.5	20.4	4
XPKD12-02	12	R1/4	10		19	71	23	4
XPKD12-03	12	R3/8	10		19	71	23	4
XPKD12-04	12	R1/2	11		21	71	23	4

XPH系列-外六角接头
XPH Series-Swing elbow

公制插管 Metric intubation	φD	R	A	B	H	F	J
XPH4-M5	4	M5	4	19	8	24.2	12.7
XPH4-01	4	R1/8	9	25	12	24.2	15.6
XPH4-02	4	R1/4	11	28	15	24.2	19.2
XPH6-M5	6	M5	4	19	8	24.2	12.7
XPH6-01	6	R1/8	9	25	12	24.2	15.6
XPH6-02	6	R1/4	11	28	15	24.2	19.2
XPH6-03	6	R3/8	11	33	19	28.8	20
XPH6-04	6	R1/2	13	39	22	36	24.8
XPH8-01	8	R1/8	9	25	12	24.2	15.6
XPH8-02	8	R1/4	11	28	15	24.2	19.2
XPH8-03	8	R3/8	11	33	19	28.8	20
XPH8-04	8	R1/2	13	39	22	36	24.8
XPH10-01	10	R1/8	9	25	12	24.2	15.6
XPH10-02	10	R1/4	11	28	15	24.2	19.2
XPH10-03	10	R3/8	11	33	19	28.8	20
XPH10-04	10	R1/2	13	39	22	36	24.8
XPH12-02	12	R1/8	11	28	15	24.2	19.2
XPH12-03	12	R3/8	11	33	19	28.8	20
XPH12-04	12	R1/2	13	39	22	36	24.8

XPHF系列-串联接头
XPHF Series-Female & male elbow

公制插管 Metric intubation	φD	R	Rc	A1	A2	B	H	F	J
XPHF4-M5	4	M5	M5	4	4	19	8	24	12.5
XPHF4-01	4	R1/8	R1/8	9	9	32	12	26.6	17
XPHF4-02	4	R1/4	R1/4	11	11	35	15	25	18.8
XPHF6-M5	6	M5	M5	4	4	19	8	24	12.5
XPHF6-01	6	R1/8	R1/8	9	9	32	12	25	17
XPHF6-02	6	R1/4	R1/4	11	11	35	15	26.6	19
XPHF6-03	6	R3/8	R3/8	11	11	44	19		20
XPHF6-04	6	R1/2	R1/2	13	13	46	24		22.4
XPHF8-01	8	R1/8	R1/8	9	9	32	12	26.2	17
XPHF8-02	8	R1/4	R1/4	11	11	35	15	27.5	19
XPHF8-03	8	R3/8	R3/8	11	11	44	19	32.2	20
XPHF8-04	8	R1/2	R1/2	13	13	46	24		22.4
XPHF10-01	10	R1/8	R1/8	9	9	32	12		17
XPHF10-02	10	R1/4	R1/4	11	11	35	15		19
XPHF10-03	10	R3/8	R3/8	11	11	44	19		20
XPHF10-04	10	R1/2	R1/2	13	13	46	24		22.4
XPHF12-02	12	R1/4	R1/4	11	11	35	15	36	19
XPHF12-03	12	R3/8	R3/8	11	11	44	19	35	20
XPHF12-04	12	R1/2	R1/2	13	13	46	24		22.4

XSL系列-单向节流阀
XSL Series-Speed controllers valve






出气节流型 Outlet closure type	φD	R	A	B	H	F	J
XSL4-M5	4	M5	4	28	8	24	11.4
XSL4-01	4	R1/8	9	25	12	24.5	15.6
XSL4-02	4	R1/4	12	43	15	25	19.2
XSL6-M5	6	M5	4	28	8	24	11.4
XSL6-01	6	R1/8	9	25	12	24.5	15.6
XSL6-02	6	R1/4	12	43	15	25	19.2
XSL6-03	6	R3/8	12	46	19	29.2	20.6
XSL6-04	6	R1/2	13	50	22	36	23.4
XSL8-01	8	R1/8	9	25	12	24.5	15.6
XSL8-02	8	R1/4	12	43	15	25	19.2
XSL8-03	8	R3/8	12	46	19	29.2	20.6
XSL8-04	8	R1/2	13	50	22	36	23.4
XSL10-01	10	R1/8	9	25	12	24.5	15.6
XSL10-02	10	R1/4	12	43	15	25	19.2
XSL10-03	10	R3/8	12	46	19	29.2	20.6
XSL10-04	10	R1/2	13	50	22	36	23.4
XSL12-02	12	R1/8	12	43	15	25	19.2
XSL12-03	12	R3/8	12	46	19	29.2	20.6
XSL12-04	12	R1/2	13	50	22	36	23.4

XPA系列-管道节流阀
XPA Series-Pipe speed control valveXHVFF系列-手阀
XHVFF Series-Pipe switch valve微型快速接头
Miniature quick joint

型号 Model
XPA-4
XPA-6
XPA-8
XPA-10
XPA-12

型号 Model
XHVFF-4
XHVFF-6
XHVFF-8
XHVFF-10
XHVFF-12

型号 Model	型号 Model	型号 Model
PC-C 3-M3	POC-C 3-M3	PL-C 3-M3
PC-C 3-M5	POC-C 3-M5	PL-C 3-M5
PC-C 3-01	POC-C 3-01	PL-C 3-01
PC-C 4-M3	POC-C 4-M3	PL-C 4-M3
PC-C 4-M5	POC-C 4-M5	PL-C 4-M5
PC-C 4-01	POC-C 4-01	PL-C 4-01
PC-C 4-02	POC-C 4-02	PL-C 4-02
PC-C 5-M5	POC-C 5-M5	PL-C 5-M5
PC-C 5-01	POC-C 5-01	PL-C 5-01
PC-C 5-02	POC-C 5-02	PL-C 5-02
PC-C 6-M5	POC-C 6-M5	PL-C 6-M5
PC-C 6-01	POC-C 6-01	PL-C 6-01
PC-C 6-02	POC-C 6-02	PL-C 6-02




XAPC-终端接头
XAPC Terminal fittings**XAPOC-A圆柱形终端接头**
XAPOC-A Cylindrical terminal fittings**XAPCF-B内螺纹接头**
XAPCF-B Threaded joints**XAPM-S直通穿板接头**
XAPM-S Straight Bulkhead Connector

型号 Model(mm)	T	S	L1	L2	订货号 Order No.
XAPC-φ4	M5	9	21	5	60411
	M6×0.75	9	21	5	60412
	M8×1	10	19	6	60410
	M10×1	12	19	7	60413
	G1/8"	10	19	7	60414
XAPC-φ6	M6×0.75	12	24	5	60611
	M10×1	12	24	7	60612
	G1/8"	12	24	7	60613
	G1/4"	14	22	9	60614
	M10×1	14	29	7	60811
XAPC-φ8	G1/8"	14	29	7	60812
	G1/4"	14	27	9	60813
	G3/8"	17	23	10	80814
	G1/8"	16	31	7	61011
	G1/4"	16	33	9	61012
XAPC-φ10	G3/8"	17	30	10	61013
	G1/2"	21	25	12	61014
	G1/4"	19	30	9	61211
	G3/8"	19	30	10	61212
	G1/2"	21	32	12	61213
XAPC-φ12	G3/8"	21	30	10	61411
	G1/2"	21	32	12	61412

型号 Model(mm)	A	C	D	E	F
XAPOC-A φ4	M5	20	9	5	2.6
	M6×0.75	20	9	5	2.6
	M8×1	23	12	5	2.6
XAPOC-A φ6	M10×1	21	12	7	4
	G1/8"	21	12	7	4
XAPOC-A φ8	M10×1	27	14	7	5
	G1/4"	27	14	9	5
XAPOC-A φ10	G1/4"	33	16	9	6
	G3/8"	30	16	10	6
XAPOC-A φ12	G1/4"	33	18	9	8
	G3/8"	30	18	10	8

型号 Model(mm)	T	S	L1	L2	订货号 Order No.
XAPCF-B φ4	M6×0.75	10	21	10	60461
	G1/8"	12	26	12	60462
XAPCF-B φ6	M10×1	13	28	12	60661
	G1/8"	12	28	12	60662
XAPCF-B φ8	M14×1.5	17	31	15	60861
	G1/4"	16	31	15	60862
XAPCF-B φ10	M14×1.5	17	34	15	61061
	G3/8"	19	34	15	61062
XAPCF-B φ12	G1/2"	24	35	17	61261
	M22×1.5	27	35	17	61262

型号 Model(mm)	T	S	L1	K	订货号 Order No.
XAPM-S φ4	M10×1	12	30	9	60480
XAPM-S φ6	M14×1	17	35	10	60680
XAPM-S φ8	M16×1	19	37	13	60880
XAPM-S φ10	M18×1	22	40	13	61080
XAPM-S φ12	M20×1	24	45	13	61280
XAPM-S φ14	M22×1	27	47	13	61480

XAPL-L直角螺纹接头
XAPL-L Cartesian nipple
(固定后接管端可360° 旋转)
(After taking over the fixed end can be rotated 360°)**XAPLF-LB直角内螺纹接头**
XAPLE-LB Cartesian threaded joints
(固定后接管端可360° 旋转)
(After taking over the fixed end can be rotated 360°)**XAPB-E三通中部螺纹接头**
XAPB-E Tee Central nipple
(固定后接管端可360° 旋转)
(After taking over the fixed end can be rotated 360°)


型号 Model(mm)	T	S	L1	L2	L3	D	订货号 Order No.
XAPL-L φ4	M5	10	19	17	5	9	60451
	M6×0.75	10	19	17	5	9	60452
	G1/8"	10	19	19	7	9	60453
	G1/4"	14	19	21	9	9	60454
XAPL-L φ6	M6×0.75	10	23.5	18	5	12	60651
	M10×1	12	23.5	20	7	12	60652
	G1/8"	10	23.5	20	7	12	60653
	G1/4"	14	23.5	22	9	12	60654
XAPL-L φ8	M10×1	12	26	21	7	14	60851
	G1/8"	12	26	21	7	14	60852
	G1/4"	14	26	23	9	14	60853
	G3/8"	17	26	24	10	14	60854
XAPL-L φ10	G1/8"	14	29	22	7	16	61051
	G1/4"	14	29	24	9	16	61052
	G3/8"	17	29	25	10	16	61053
	G1/2"	21	29	27	12	16	61054
XAPL-L φ12	G1/4"	16	31	26	9	18	61251
	G3/8"	17	31	27	10	18	61252
	G1/2"	21	31	29	12	18	61253
	G3/8"	21	33.5	29	10	20	61451
XAPL-L φ14	G1/2"	27	33.5	31	12	20	61452

型号 Model(mm)	T	S	L1	L2	L3	D	订货号 Order No.
XAPLF-LB φ4	M5	10	18.5	16	6	9	60001
	M6×0.75	10	19	16	6	9	60002
	G1/8"	12	19	18	8	9	60003
	G1/4"	16	19	20	10	9	60004
XAPLF-LB φ6	M6×0.75	10	23.5	17	6	12	60005
	M10×1	13	23.5	19	8	12	60006
	G1/8"	12	23.5	19	8	12	60007
	G1/4"	16	23.5	21	10	12	60008
XAPLF-LB φ8	M10×1	13	26	20	8	14	60009
	G1/8"	12	26	20	8	14	60010
	G1/4"	16	26	22	10	14	60011
	G3/8"	19	26	22	10	14	60012
XAPLF-LB φ10	G1/8"	14	29	21	8	16	60013
	G1/4"	16	29	23	10	16	60014
	G3/8"	19	29	23	10	16	60015
	G1/2"	24	29	24	12	16	60016
XAPLF-LB φ12	G1/4"	16	31	24.5	10	18	60017
	G3/8"	17	31	24.5	10	18	60018
	G1/2"	24	31	27	12	18	60019
	G3/8"	21	33.5	26	10	21	60020
XAPLF-LB φ14	G1/2"	24	33.5	28.5	12	21	60021

型号 Model(mm)	T	S	L1	L2	L3	订货号 Order No.
XAPB-E φ4	M5	10	18.5	17	5	60431
	M6×0.75	10	18.5	17	5	60432
	G1/8"	10	18.5	19	5	60433
XAPB-E φ6	M10×1	12	24	20	7	60631
	G1/8"	10	24	20	7	60632
XAPB-E φ8	G1/4"	14	24	22	9	60633
	G1/8"	12	26.5	21	7	60831
	G1/4"	14	26.5	23	9	60832
XAPB-E φ10	G3/8"	17	26.5	24	10	60833
	G1/4"	14	29.5	23	9	61031
	G3/8"	17	29.5	25	10	61032
XAPB-E φ12	G1/2"	21	29.5	27	12	61033
	G1/4"	17	31.5	26	9	61231
	G3/8"	17	31.5	27	10	61232
XAPB-E φ14	G1/2"	21	31.5	29	12	61233


XAPH-Q直角铰接式可旋转接头(360° 旋转)

XAPH-Q Cartesian articulated joints can be rotated (360° rotation)




XAPU-I直通接头

XAPU-I Through connector




XAPV-J直角接头

XAPV-J Elbow




XAPE-T三通接头

XAPE-T Three-way




XPF-X四通螺纹接头 XPF-X Stone nipple

(固定后接管端可360° 旋转)
(After taking over the fixed end can be rotated 360°)

XASL单向节流阀

XASL One way throttle valve



1. 按装螺纹与配套管子外径任意选择, 按需加工
2. 本阀可按要求加工为节流阀
1. Install threaded pipe diameter and supporting arbitrary choice, on-demand processing.
2. The request can be processed into the throttle valve.

型号 Model(mm)	T	S	L ₁	L ₂	L ₃
XAPH-Q φ4	M5	8	20	12	5
XAPH-Q φ4	M6×0.75	8	20	12	5
XAPH-Q φ6	G1/8"	12	25	15	7
XAPH-Q φ6	M6×0.75	8	20	12	5
XAPH-Q φ8	M10×1	12	25	15	7
XAPH-Q φ8	G1/4"	14	27	15	9

型号 Model(mm)	L	D	订货号 Order No.
XAPU-I φ4	30	10	90400
XAPU-I φ6	35	12	90600
XAPU-I φ8	37	14	90800
XAPU-I φ10	40	16	91000
XAPU-I φ12	45	18	91200
XAPU-I φ14	50	20	91400

型号 Model(mm)	L	订货号 Order No.
XAPV-J φ4	19	90401
XAPV-J φ6	23	90601
XAPV-J φ8	25	90801
XAPV-J φ10	30	91001
XAPV-J φ12	30	91201
XAPV-J φ14	31	91401

型号 Model(mm)	L	订货号 Order No.
XAPE-T φ4	19	90402
XAPE-T φ6	23	90602
XAPE-T φ8	25	90802
XAPE-T φ10	30	91002
XAPE-T φ12	30	91202
XAPE-T φ14	31	91402

型号 Model(mm)	S	L	订货号 Order No.
XPF-X φ4	10	19	90403
XPF-X φ6	12	23	90603
XPF-X φ8	14	25	90803
XPF-X φ10	16	30	91003
XPF-X φ12	18	30	91203
XPF-X φ14	20	31	91403

型号 Model(mm)	C	H	L	J
XASL- φ4	M5	21	15	10
	M6×0.75			
XASL- φ6	G1/8"	30	20	14.5
	G1/4"		20	16.5
XASL- φ8	G1/8"	30	21	14.5
	G1/4"		21	16.5
XASL- φ10	G1/4"	36	24	16.5
	G3/8"		24	20.5
XASL- φ12	G3/8"	36	25	20.5
	G1/2"		25	24.5

快拧PC系列 Quick twist PC series



PC4-M6	PC8-01	PC12-02
PC4-M5	PC8-02	PC12-03
PC4-01	PC8-03	PC12-04
PC4-02	PC8-04	PC14-04
PC6-M5	PC10-01	PC16-02
PC6-01	PC10-02	PC16-03
PC6-02	PC10-03	PC16-04
PC6-03	PC10-04	
PC6-04	PC12-01	

快拧PL系列 Quick twist PL series



PL4-01	PL10-01	PL12-01
PL6-01	PL10-02	PL12-02
PL6-02	PL10-03	PL12-03
PL6-03	PL10-04	PL12-04
PL6-04		
PL8-01		
PL8-02		
PL8-03		

快拧直通系列 Quick twist right angle series



φ6
φ8
φ10
φ12
φ14
φ16

快拧直角PV系列 Quick twist right angle PV series



PVφ6
PVφ8
PVφ10
PVφ12
PVφ14
PVφ16

快拧三通系列 Quick twist tee series



φ6
φ8
φ10
φ12

快拧串板系列 Quick twist string of board series



φ6
φ8
φ10
φ12

快拧变径系列 Quick twist changes dia. series



φ6-8
φ8-10
φ8-12
φ10-12

快拧内丝PCF系列 Quick twist inner nipple PCF series



PCF6-01	PCF10-03
PCF6-02	PCF10-04
PCF6-03	
PCF6-04	
PCF8-01	
PCF8-02	
PCF8-03	
PCF8-04	

卡套PC系列 Cutting sleeve PC series



PC4-M5	PC8-02	PC12-02
PC4-01	PC8-03	PC12-03
PC6-M5	PC8-04	PC12-04
PC6-01	PC10-01	PC14-04
PC6-02	PC10-02	PC16-02
PC6-03	PC10-03	PC16-03
PC6-04	PC10-04	PC16-04
PC8-01	PC12-01	

卡套PL系列 Cutting sleeve PL



PL6-01	PL10-01	PL12-01
PL6-02	PL10-02	PL12-02
PL6-03	PL10-03	PL12-03
PL6-04	PL10-04	PL12-04
PL8-01		
PL8-02		
PL8-03		
PL8-04		

卡套直通系列 Cutting sleeve through series



φ6
φ8
φ10
φ12
φ14
φ16

卡套直角PV系列 Cutting sleeve right angle PV series



PVφ6
PVφ8
PVφ10
PVφ12

卡套三通系列 Cutting sleeve tee series



φ6
φ8
φ10
φ12

卡套串板系列 Cutting sleeve string of board series



PC4-M6	PC8-01	PC12-02
PC4-M5	PC8-02	PC12-03
PC4-01	PC8-03	PC12-04
PC4-02	PC8-04	PC14-04
PC6-M5	PC10-01	PC16-02
PC6-01	PC10-02	PC16-03
PC6-02	PC10-03	PC16-04
PC6-03	PC10-04	
PC6-04	PC12-01	

卡套变径系列 Cutting sleeve changes dia. series



φ6-8
φ8-10
φ8-12
φ10-12

卡套内丝PCF系列 Cutting sleeve inner nipple series



PCF6-02	PCF10-03
PCF6-03	PCF10-04
PCF6-04	
PCF8-01	
PCF8-02	
PCF8-03	
PCF8-04	

宝塔PC系列 Pagoda PC series



PC6-01	PC10-01	PC14-02
PC6-02	PC10-02	PC14-03
PC6-03	PC10-03	PC14-04
PC6-04	PC10-04	PC16-04
PC8-01	PC12-01	PC16-06
PC8-02	PC12-02	PC19-04
PC8-03	PC12-03	PC19-06
PC8-04	PC12-04	

宝塔PL系列 Pagoda PL series



PL6-01	PL10-01	PL12-01
PL6-02	PL10-02	PL12-02
PL6-03	PL10-03	PL12-03
PL6-04	PL10-04	PL12-04
PL8-01		
PL8-02		
PL8-03		
PL8-04		

宝塔二通系列 Pagoda 2 through series



φ6
φ8
φ10
φ12
φ14
φ16

宝塔三通系列 Pagoda 3 through series



φ6
φ8
φ10
φ12

宝塔三通T型系列 Pagoda 3 through T series



φ6
φ8
φ10
φ12

宝塔四通系列 Pagoda 4 through series



φ8
φ10

对丝系列 Double nipple series



1/8	1/2-3/4
1/4	1/4-1/2(加厚 Thickening)
3/8	3/8-1/2(加厚 Thickening)
1/2	
3/4	
1/8-1/4	
1/4-3/8	
1/4-1/2	
3/8-1/2	

宝塔PCF系列 Pagoda PCF series



PCF6-01	PCF10-01
PCF6-02	PCF10-02
PCF8-01	PCF10-03
PCF8-02	PCF10-04
PCF8-03	PCF12-04
PCF8-04	

内外接头系列 Inside and outside coupling series

1:2
2:3
2:4
3:4
1/8
1/4
3/8
1/2

补芯系列 Bushing series

1:2
1:3
2:3
2:4
3:4
4:6
4:G1
6:G1

内接系列 Internal series

1/8
1/4
3/8
1/2
3/4
(圆形 Circular) 3/4

内螺弯头系列 Within the spiral elbow

1/8
1/4
3/8
1/2
3/4

外螺弯头系列 Outer spiral elbow

1/8
1/4
3/8
1/2

内螺三通系列 Inner screw 3 through series

1/8
1/4
3/8
1/2
3/4

外螺三通系列 Outside screw 3 through series

1/8
1/4
3/8
1/2

内螺四通系列 Inner screw 4 through series

1/8
1/4
3/8
1/2

球阀双内螺 Double ball screw

1/4
3/8
1/2

球阀外螺宝塔 Ball screw pagoda outside

1/4
3/8
1/2

球阀内外螺 Ball screw inside and outside

1/4
3/8
1/2

球阀外螺 Ball screw outside

1/4-8
1/4-10
3/8-8
3/8-10
1/2-8
1/2-10
1/2-12

球阀内螺宝塔 Ball screw inside the pagoda

1/4-8
1/4-10
3/8-8
3/8-10
1/2-8
1/2-10

球阀宝塔双头 Ball headed pagoda

Φ8
Φ10

快拧球阀 Fast screwed ball valve



8-02

针型阀系列 Needle valve

Φ6
Φ8
Φ10
Φ12
Φ1/8
Φ1/4

平头消声器(铁)系列 Flat muffler (iron) series

1/8
1/4
3/8
1/2
3/4
G1

消声器(铁)系列 Muffler (iron) series

1/8
1/4
3/8
1/2
3/4
G1

节流消声器 Copper flat muffler

1/8
1/4
3/8
1/2

塑料消声器系列 Plastic muffler series

01
02
03
04
06
G1

铁堵头系列 Iron plug series

1/8
1/4
3/8
1/2

铜单向阀系列 Brass check valve series

1/8
1/4
3/8
1/2

安全阀系列 Safety valve series

1/8
1/4
3/8
1/2

油排系列 Oil discharge series

2通 Through
3通 Through
4通 Through
5通 Through
6通 Through
7通 Through
8通 Through
9通 Through
10通 Through


SC/SU标准气缸 SC / SU standard cylinder

SC 50×100 — N S FA

系列号
SC:标准复动型(拉杆式)
SU:标准复动型(无拉杆式)
SCD:双轴可调型标准气缸
SCT:多位置复动型
Series vale
SC: Standard Double Action (tie rod)
SU: Standard Double Action (tiebarless)
SCD: Standard cylinder axis adjustable
SCT: multi-position Double Action缸径 × 行程
Bore × stroke空白:无可调(标准型)
N:SCJ/SCU
可调行程距离
Blank: No Adjustable
(Standard)
N: SCJ / SCU
Adjustable travel distance磁石代号
空白:不附磁
S:附磁石
Built-in magnets
Blank: without
S: with固定型式
空白:基本型
CA:后盖固定式(单耳型)
CB:后盖固定式(双耳型)
FA:前盖固定式(前法兰)
FB:后盖固定式(后法兰)
LB:脚架式
TC:摆摆式
TC-M:摆摆式加脚座Fixed type
Blank: Basic
CA: fixed cover (single ear)
CB: fixed cover (the ears type)
FA: Fixed front cover (front flange)
FB: fixed cover (back flange)
LB: Tripod type
TC: Swing
TC-M: swing-plus feet

SI标准气缸 SI Standard Cylinder

SI 50×50 — S — N FA

系列号
SI:标准复动型
SID:双轴复动型
SIJ:双轴可调型
Series vale
SI: Standard Double Action
SID: biaxial Double Action
SIJ: Adjustable biaxial缸径 × 行程
Bore × stroke磁石代号
空白:不附磁
S:附磁石
Built-in magnets
Blank: without
S: with空白:无可调(标准型)
N:SIJ
可调行程距离
Blank: No Adjustable
(Standard)
N: SIJ
Adjustable travel distance固定型式
空白:基本型
CA:后盖固定式(单耳型)
CB:后盖固定式(双耳型)
FA:前盖固定式(前法兰)
FB:后盖固定式(后法兰)
LB:脚架式
TC:摆摆式
TC-M:摆摆式加脚座Fixed type
Blank: Basic
CA: fixed cover (single ear)
CB: fixed cover (the ears type)
FA: Fixed front cover (front flange)
FB: fixed cover (back flange)
LB: Tripod type
TC: Swing
TC-M: swing-plus feet

QGB标准气缸 QGB Standard Cylinder

QGB 125×200 — S — MF1

系列号
QGA:无缓冲型
QGB:带缓冲型
QGBZ:重型气缸(华能型)
Series vale
QGA: unbuffered
QGB: with buffered
QGBZ: Heavy cylinders (Huaneng type)缸径 × 行程
Bore × stroke磁石代号
空白:不附磁
S:附磁石
Built-in magnets
Blank: without
S: with固定型式
空白:基本型
MF1:前法兰式
MF2:后法兰式
MP4:尾部单耳式
MP2:尾部双耳式
MS1:底座式
MT4:中间轴销式Built-in magnets
Blank: without
MF1: front flange style
MF2: back flange style
MP4: End single ear ring
MP2: End double ear rings
MS1: Base style
MT4: Middle axle pin style


DNC标准气缸(符合ISO6431标准) DNC standard cylinder (standard ISO6431)

DNC 63×100 — PPV A S2

系列号
DNC:基本型
HNC:轴向脚座
FNC:前后法兰
SNCB:双耳座
SNCL:单耳座
Series vale
DNC:basic type
HNC:foot bracket type
FNC:front & rear flange type
SNCB:double clevis type
SNCL:single clevis type缸径 × 行程
Bore × stroke空白:无缓冲
PPV:带缓冲
Blank: without cushion
PPV: with cushion空白:基本型
A:内置磁环型
Blank: Basic
A: Built-in magnetic-type空白:基本型(单端活塞杆)
S2:双活塞杆
S3:双端活塞杆(可调整)
Blank: Basic
(single-ended piston rod)
S2: double rod
S3: piston rod (adjustable type)

CQ2薄型气缸 CQ2 compact cylinder

CQ2		B	40×50	—	D	M
- 系列号 - CQ2:无内置 - CDQ2:内置磁环型 - Series vale - CQ2:without built-in magnet type - CDQ2:with built-in magnet type	- 活塞杆形式 - 空白:单杆 - W:双杆 - Rod form - Blank: Single pole - W: Double pole	- 安装型式 - B:通孔及两端螺孔共用(标准型) - Installation Type - B: screw hole and both ends of the common (standard)	- 缸径×行程 - Bore x stroke		- 动作型式 - D:双动型 - S:单动(预缩型) - T:单动(预伸型) - Action type - D:double acting - S:single acting (spring return typr) - T:single acting (spring stretched type)	- 可选项 - 空白:杆端内螺纹(标准型) - M:杆端外螺纹 - C:橡胶缓冲 *单动气缸不可以加橡胶缓冲 - Options - Blank: Rod end female thread (standard) - M: Rod end male thread - C: Rubber buffer * Single action cylinder can not increase the rubber buffer



SDA薄型气缸 SDA compact cylinder

SDA	S	40×50	—	B
- 系列号 - SDA:复动型 - SDAD:双轴型 - SDAJ:双轴可调型 - SDAT:多位置复动型 - Series vale - SDA:basic type - SDAD:both sides piston rod type - SDAJ:both sides piston rod type(one side adjustable) - SDAT: multi-position Double Action	- 磁石代号 - 空白:不附磁 - S:附磁石 - Built-in magnets - Blank: without - S:with	- 缸径×行程 - Bore x stroke		- 杆端螺纹 - 空白:内螺纹 - B:外螺纹 - N:无螺纹 - Rod end thread - Blank: Female - B: external thread - N: No thread



MAL铝合金迷你气缸 MAL Aluminum Alloy Mini Cylinder

MAL	CM	32×50	—	S	—	FA
- 系列号 - MAL:复动型 - MALD:双轴型 - MALJ:双轴可调型 - Series vale - MAL:double-acting type - MALD:double rod type - MALJ:double rod type (one side adjustable)	- 后盖型式 - 空白:摆尾型 - CM:圆尾型 - U:平尾型 - Cover type - Blank: wagging tail type - CM: Round-tailed - U: Flat-tailed	- 缸径×行程 - Bore x stroke		- 磁石代号 - 空白:不附磁 - S:附磁石 - Built-in magnets - Blank: without - S:with		- 固定型式 - 空白:基本型 - FA:前盖固定式(前法兰) - FB:后盖固定式(后法兰) - LB:脚架式 - Mounting type - Blank: basic type - FA:front flange type - FB:rear flange type - LB:foot bracket type



MA不锈钢迷你气缸 MA Stainless Steel Mini Cylinder

MA	CM	32×50	—	S	—	FA
- 系列号 - MA:复动型 - MAC:复动缓冲型 - MAD:双轴型 - MAJ:双轴可调型 - Series vale - MA: Double Action - MAC: DoubleAction buffered - MAD: two axle - MAJ: Double Adjustable	- 后盖型式 - 空白:摆尾型 - CM:圆尾型 - U:平尾型 - Cover type - Blank: wagging tail type - CM: Round-tailed - U: Flat-tailed	- 缸径×行程 - Bore x stroke		- 磁石代号 - 空白:不附磁 - S:附磁石 - Built-in magnets - Blank: without - S:with		- 固定型式 - 空白:基本型 - FA:前盖固定式(前法兰) - FB:后盖固定式(后法兰) - LB:脚架式 - Mounting type - Blank: basic type - FA:front flange type - FB:rear flange type - LB:foot bracket type



CJ2不锈钢迷你气缸 CJ2 Stainless Steel Mini Cylinder

CJ2	B	10×25	—	S
- 系列号 - CJ2:复动型 - CDJ2:内置磁环型 - CJ2D:双轴型 - CJ2J:双轴可调型 - Series vale - CJ2: Double Action - CDJ2: Built-in magnetic-type - CJ2D: axis-type - CJ2J: Double Adjustable	- 安装形式 - B:基本型 - F:杆侧法兰式 - L:轴向脚座型 - D:双耳环型(除φ6) - Installation Type - B: Basic - F: Rod side flange style - L: Axial foot type - D: Clevis type (except φ6)	- 缸径×行程 - Bore x stroke		- 动作型式 - D:双动型 - S:单动(预缩型) - T:单动(预伸型) - Action type - D:double acting - S:single acting (spring return typr) - T:single acting (spring stretched type)



CM2不锈钢迷你气缸 CM2 Stainless Steel Mini Cylinder

CM2	CM	20×50	—	D	—	FA
- CM2:无内置 - CDM2:内置磁环型 - CM2B:复动型 - CM2BD:双轴型 - CM2BJ:双轴可调型 - CM2:without built-in magnet type - CDM2:with built-magnet type - CM2B:double-acting type - CM2BD:double rod type - CM2BJ:double rod type (one side adjustable)	- 后盖型式 - 空白:摆尾型 - CM:圆尾型 - U:平尾型 - Rear cover type - Blank: single clevis type - CM:round end type - U:without end type	- 缸径×行程 - Bore x stroke		- 动作型式 - D:双动型 - S:单动(预缩型) - T:单动(预伸型) - Action type - D:double acting - S:single acting (spring return typr) - T:single acting (spring stretched type)		- 固定型式 - 空白:基本型 - FA:前盖固定式(前法兰) - FB:后盖固定式(后法兰) - LB:脚架式 - Mounting type - Blank: basic type - FA:front flange type - FB:rear flange type - LB:foot bracket type



CJPB (单作用) 针型气缸 / CJPB (Single acting) pin cylinder

CJP	10×5	—	B
- 系列号 - CJPB:面板安装型 - CJPS:内置安装型 - Series vale - CJPB: Panel Mount - CJPS: Built-in mounting	- 缸径×行程 - Bore x stroke		- 杆端螺纹 - 空白:有螺纹 - B:无螺纹 - Rod end thread - Blank: threaded - B: Unthreaded



CXSM双轴气缸 CXSM dual-rod cylinder

CXS	M	20×100	—	□
-----	---	--------	---	---

系列号 CXSM:双轴复动型 Series vale CXSM: dual-rod double acting	轴承种类 M-滑动轴承 L-滚珠导向轴承 Bearing Type M- Bearings L- Ball Bearings guide	缸径×行程 Bore × stroke 6 10 15 20 25 32	磁性开关型号 空白:无磁性开关 Magnetic Switch Model Blank: No magnetic switch
--	--	---	--



TN(TDA)双轴气缸 TN(TDA) dual-rod cylinder

TN	25×50	—	S
----	-------	---	---

系列号 TN:双轴复动型 TND:双轴双头型 Series vale TN: Double Double Action TND: Dual-axis type	缸径×行程 Bore × stroke	磁石代号 空白:不附磁 S:附磁石 Built-in magnets Blank: without S:with
--	------------------------	---



CU多位置安装气缸 CU multi-position installation cylinder

CDU	□	10×25	—	D
-----	---	-------	---	---

系列号 CU:标准型 CDU:内置磁环型 Series vale MD:Standard type CDU:with built-magnet type	活塞杆形式 空白:基本型 K:不旋转活塞杆 Rod form Blank: Basic type K: non-rotating piston rod	缸径×行程 Bore × stroke	动作型式 D:双动型 S:单动(预缩型) T:单动(预伸型) Action type D:double acting S:single acting (spring return typr) T:single acting (spring stretched type)
---	--	------------------------	--



MOB轻型油液压缸 MOB Light oil hydraulic cylinder

MOB	—	B	—	50×50	—	CA
-----	---	---	---	-------	---	----

系列号 MOB:中低压 Series vale MOB:Middle-low pressure	B-标准型 L1-双出杆型 L-行程可调型 B-Standard type L1- Double rod type L- Stroke adjustable type	缸径×行程 Bore × stroke	CA-单耳环式 FA-前法兰式 FB-后法兰式 LB-脚架式 TC-中间摆动式 CA- Single earrings type FA- Front flange type FB- Rear flange type LB- Tripod type TC- Middle swing type
--	--	------------------------	--



HOB重型油液压缸 HOB Heavy oil hydraulic cylinder

HOB	—	B	—	63×100	—	CA
-----	---	---	---	--------	---	----

系列号 HOB:中高压 Series vale HOB:Middle-high pressure	B-标准型 L1-双出杆型 L-行程可调型 B-Standard type L1- Double rod type L- Stroke adjustable type	缸径×行程 Bore × stroke	CA-单耳环式 FA-前法兰式 FB-后法兰式 LB-脚架式 TC-中间摆动式 CA- Single earrings type FA- Front flange type FB- Rear flange type LB- Tripod type TC- Middle swing type
---	--	------------------------	--



2V 系列电磁阀
2V Series Solenoid Valve

型号Model
2V025-06 G1/8
2V025-08 G1/4



3V1 系列电磁阀
3V1 Series Solenoid Valve

型号Model
3V1-06 G1/8
3V1-08 G1/4



3V 系列电磁阀
3V Series Solenoid Valve

型号Model
3V110-06 G1/8
3V210-06 G1/4
3V310-10 G3/8
3V410-15 G1/2



4V 系列电磁阀
4V Series Solenoid Valve

型号Model
4V110-06 G1/8
4V210-08 G1/4
4V310-10 G3/8
4V410-15 G1/2



4V 系列电磁阀
4V Series Solenoid Valve

型号Model
4V120-06 G1/8
4V220-08 G1/4
4V320-10 G3/8
4V420-15 G1/2



4V 系列电磁阀
4V Series Solenoid Valve

型号Model
4V130C-06 G1/8
4V230C-08 G1/4
4V330C-10 G3/8
4V430C-15 G1/2



4M 系列电磁阀
4M Series Solenoid Valve

型号Model
4M110-06 G1/8
4M210-08 G1/4
4M310-10 G3/8
4M410-15 G1/2



4M 系列电磁阀
4M Series Solenoid Valve

型号Model
4M120-06 G1/8
4M220-08 G1/4
4M320-10 G3/8
4M420-15 G1/2



4M 系列电磁阀
4M Series Solenoid Valve

型号Model
4M130-06 G1/8
4M230-08 G1/4
4M330-10 G3/8
4M430-15 G1/2



3A/4A气控阀
3A/4A Gas control valve

型号Model
3A/4A110-M5 M5
3A/4A110-06 G1/8
3A/4A210-08 G1/4
3A/4A310-10 G3/8
3A/4A410-15 G1/2




3A/4A气控阀
3A/4A Gas control valve

型号Model
3A/4A120-M5 M5
3A/4A120-06 G1/8
3A/4A220-08 G1/4
3A/4A320-10 G3/8
3A/4A420-15 G1/2



4A气控阀
4A Gas control valve

型号Model
4A130-M5 M5
4A130-06 G1/8
4A230-08 G1/4
4A330-10 G3/8
4A430-15 G1/2



3R/4R 系列手拉阀
3R/4R Series Hand-draw Valve

型号Model
3R110-06 1/8
3R210-08 1/4
3R310-10 3/8
3R410-15 1/2
4R110-06 1/8
4R210-08 1/4
4R310-10 3/8
4R410-15 1/2



3H/4H 系列手扳阀
3H/4H Series Hand-pull Valve

型号Model
3H210-08 1/4
3H310-10 3/8
3H410-15 1/2
4H210-08 1/4
4H310-10 3/8
4H410-15 1/2



HV/DHV 系列手转阀
HV/DHV Series hand-switching valve

型号Model
HV-02 G1/4
HV-03 G3/8
HV-04 G1/2
DHV-08(硬密封 hard seal) G1/4
DHV-10(硬密封 hard seal) G3/8
DHV-15(硬密封 hard seal) G1/2



三联件(SMC型) Three unit(SMC type)



型号Model
AC2000-02 G1/4
AC3000-02 G1/4
AC3000-03 G3/8
AC4000-03 G3/8
AC4000-04 G1/2
AC4000-06 G3/4
AC5000-06 G3/4
AC5000-10 G1

二联件(SMC型) Two unit(SMC type)



型号Model
AC2010-02 G1/4
AC3010-02 G1/4
AC3010-03 G3/8
AC4010-03 G3/8
AC4010-04 G1/2
AC4010-06 G3/4
AC5010-06 G3/4
AC5010-10 G1

调压过滤器(SMC型) Filter regulator(SMC type)



型号Model
AW2000-02 G1/4
AW3000-02 G1/4
AW3000-03 G3/8
AW4000-03 G3/8
AW4000-04 G1/2
AW4000-06 G3/4
AW5000-06 G3/4
AW5000-10 G1

空气过滤器(SMC型) Air filter(SMC type)



型号Model
AF2000-02 G1/4
AF3000-02 G1/4
AF3000-03 G3/8
AF4000-03 G3/8
AF4000-04 G1/2
AF4000-06 G3/4
AF5000-06 G3/4
AF5000-10 G1

油雾器 (SMC型) Lubricator (SMC-type)



型号Model
AL2000-02 G1/4
AL3000-02 G1/4
AL3000-03 G3/8
AL4000-03 G3/8
AL4000-04 G1/2
AL4000-06 G3/4
AL5000-06 G3/4
AL5000-10 G1

调压阀(SMC型) Regulator (SMC-type)



型号Model
AR2000-02 G1/4
AR3000-02 G1/4
AR3000-03 G3/8
AR4000-03 G3/8
AR4000-04 G1/2
AR4000-06 G3/4
AR5000-06 G3/4
AR5000-10 G1

三联件(亚德客型) Three unit(Airtac type)



型号Model
AC2000 G1/4
BC2000 G1/4
BC3000 G3/8
BC4000 G1/2

二联件(亚德客型) Two unit(Airtac type)



型号Model
AFC2000 G1/4
BFC2000 G1/4
BFC3000 G3/8
BFC4000 G1/2

调压过滤器(亚德客型) Filter+regulator(Airtac type)



型号Model
AFR2000 G1/4
BFR2000 G1/4
BFR3000 G3/8
BFR4000 G1/2

空气过滤器(亚德客型) Air filter(Airtac type)



型号Model
AF2000 G1/4
BF2000 G1/4
BF3000 G3/8
BF4000 G1/2

油雾器系列(亚德客型) Lubricator (Airtac type)



型号Model
AL2000 G1/4
BL2000 G1/4
BL3000 G3/8
BL4000 G1/2

调压阀(亚德客型) Regulator (Airtac type)



型号Model
AR2000 G1/4
BR2000 G1/4
BR3000 G3/8
BR4000 G1/2

二联件 Two unit



型号Model
SFC200
SFC300
SFC400

调压过滤器 Filter regulator



型号Model
SFR200
SFR300
SFR400

过滤器 Filter



型号Model
SL200
SL300
SL400

高仿吹尘枪 High imitation air guns



型号Model
AR-TS(短/红色) (short / red)
AR-TS-L(长/红色) (long / red)

吹尘枪 Air guns



型号Model
AR-TS(短/蓝色) (short / blue)
AR-TS-L(长/蓝色) (long / blue)

吹尘枪 Air guns



型号Model
AR-TS(短/黄色) (short / yellow)
AR-TS-L(长/黄色) (long / yellow)

吹尘枪 Air guns



型号Model
AG-07(短/绿色) (short / green)
AG-07-L(长/绿色) (long / green)

DG 系列吹尘枪 DG Series air guns



型号Model
DG-10

NPN 系列吹尘枪 NPN Series air guns



型号Model
NPN-989
NPN-989-1

进口PU管(100米) Imported PU tube(100m)



型号Model
3 × 2
4 × 2.5
5 × 3
6 × 4
8 × 5
8 × 5.5
10 × 6.5
12 × 8
14 × 10
16 × 12

PU管(95米) PU tube(90m) 颜色: 红、兰、透 Color: red, blue, transparent



型号Model
4 × 2.5
6 × 4
8 × 5
10 × 6.5
12 × 8
14 × 10
16 × 12

PU管(85米) PU tube(85m)



型号Model
4 × 2.5
6 × 4
8 × 5
10 × 6.5
12 × 8
14 × 10
16 × 12

国产PE管 Domestic PE tube

颜色: 红、蓝、白
Color: red, blue, white



型号Model
4 × 2.5
6 × 4
8 × 5
10 × 6.5
12 × 8

尼龙管(防腐蚀) Nylon tube (corrosion)

颜色: 白
Color: white



型号Model
4 × 0.75 100m
4 × 1 100m
6 × 1 100m
8 × 1 100m
10 × 1.25 100m
10 × 1.5 100m
12 × 1 100m
12 × 1.5 100m
14 × 1.5 100m
14 × 2 100m
16 × 2 50m
18 × 1.5 50m

尼龙管(防腐蚀) Nylon tube (corrosion)

颜色: 黑
Color: Black



型号Model
4 × 0.75 100m
4 × 1 100m
6 × 1 100m
8 × 1 100m
10 × 1.25 100m
10 × 1.5 100m
12 × 1 100m
12 × 1.5 100m
14 × 1.5 100m
14 × 2 100m
16 × 2 50m
18 × 1.5 50m

PU 螺旋软管 PU spiral hose




型号Model
8 × 5 6m
8 × 5 9m
8 × 5 12m
8 × 8 15m
10 × 6.5 6m
10 × 6.5 9m
10 × 6.5 12m
10 × 6.5 15m
12 × 8 6m
12 × 8 9m
12 × 8 12m
12 × 8 15m

进口PU管 Imported PU tube



型号Model
8 × 5 6m
8 × 5 9m
8 × 5 12m
8 × 8 15m
10 × 6.5 6m
10 × 6.5 9m
10 × 6.5 12m
10 × 6.5 15m
12 × 8 6m
12 × 8 9m
12 × 8 12m
12 × 8 15m

冷却管 Cooling pipe



型号Model
2分圆嘴、扁嘴 2 round mouth, flat mouth
3分圆嘴、扁嘴 3 round mouth, flat mouth
4分圆嘴、扁嘴 4 round mouth, flat mouth
带开关2分圆嘴、扁嘴 2 sub round nozzle with switch
带开关3分圆嘴、扁嘴 3 sub round nozzle with switch
带开关4分圆嘴、扁嘴 4 sub round nozzle with switch